



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/803,852	03/18/2004	Ercan Adem	039153-0529 (G1234)	6448
23524	7590	02/16/2006	EXAMINER	
FOLEY & LARDNER LLP 150 EAST GILMAN STREET P.O. BOX 1497 MADISON, WI 53701-1497			GURLEY, LYNNE ANN	
			ART UNIT	PAPER NUMBER
			2812	

DATE MAILED: 02/16/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/803,852

Applicant(s)

ADEM, ERCAN

Examiner

Lynne A. Gurley

Art Unit

2812

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 25 January 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1,3 and 5-19 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3 and 5-19 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

  
LYNNE A. GURLEY

PRIMARY PATENT EXAMINER  
TC 2800, AU 2812

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

### **DETAILED ACTION**

This Office Action is in response to the RCE and amendment filed 1/25/06.

Currently, claims 1, 3, and 5-19 are pending.

#### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 1/25/06 has been entered.

#### ***Claim Rejections - 35 USC § 102***

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1, 3, and 5-19 are rejected under 35 U.S.C. 102(e) as being anticipated by Lopatin et al. (US 6,703,307, dated 3/9/04, filed 11/26/01).

The applied reference has a common assignment with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37

Art Unit: 2812

CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

Lopatin shows the invention as claimed in figures 6-7 and corresponding text, as: a method of fabricating an integrated circuit, the method comprising: forming a barrier layer 745 along lateral side walls and a bottom of a via aperture, the via aperture being configured to receive a via material that electrically connects a first conductive layer and a second conductive layer; forming a seed layer proximate and conformal to the barrier layer; and ion implanting elements into the seed layer, wherein the elements can be any one of Zn, Sn, Cr, Ca, Ag, and In (column 5, lines 3-9), wherein ion implanting elements into the seed layer comprises low energy ion implanting elements into the seed layer, wherein low energy ion implanting comprises implanting at an energy of 0.25 to 2.0 KeV. Seed implanted layer 630 (fig. 6) by a ULEII process to control the concentration and depth of the dopant (column 4, lines 25-35). Implant energy is given (column 6, lines 40-50).

4. Claims 1, 3, 5, 6-14 are rejected under 35 U.S.C. 102(e) as being anticipated by Farrar (US 6,420,262, dated 7/16/02, filed 1/18/00).

Farrar shows the method as claimed in figures 2B-2F and corresponding text, with barrier 214 and seed 216 (fig. 2D). Implant dopants are given (Cr and Zr). Low energy implant is given (column 10, lines 60-67; column 9, lines 31-67; column 10, lines 1-59; column 11, lines 1-10).

### ***Double Patenting***

5. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the “right to exclude” granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1, 3, and 5-19 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-22 of U.S. Patent No. 6,703,307 in view of Farrar (US 6,420,262, dated 7/16/02). Although the conflicting claims are not identical, they are not patentably distinct from each other because the subject matter of the claims in the instant invention is taught by the claims of the US patent. The implanted seed layer is taught (claims 4,15) as well as the implanted elements (claim 15,16,18, 20), distribution (claims 4-6), thickness of the seed layer (claims 8,14). Angled implant (claims 9,22), etch stop and damascene structure (claims 1, 15).

6. The claims of the US lack anticipation only in not teaching the dosage concentrations, the thermal process to facilitate mixing, and the ultra-low energy implant.

Art Unit: 2812


7. Farrar teaches the advantages of the ultra low energy implant (column 9, lines 31-48; column 10, lines 1-6, lines 60-67 and the thermal process.

8. It would have been obvious to one of ordinary skill in the art to have used the dosage concentrations, the thermal process to facilitate mixing and the ultra-low energy implant, in the method of US Patent, with the motivation that Farrar teaches that these processes are conventional to fabricate the barrier/seed layer structure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lynne A. Gurley whose telephone number is 571-272-1670. The examiner can normally be reached on M-F 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Lebentritt can be reached on 571-272-1873. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Lynne A. Gurley  
Primary Patent Examiner  
Art Unit 2812